

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

55583

Log No. 55583
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Thomas A. McKean Driller Nevada Pump & Supply Company
 Address 248 So. 17th, Las Vegas, Nevada Address 412 S. 4th, Las Vegas, Nev. Lic. No. 133
 Location of well: NW 1/4 NE 1/4 Sec. 12., T. 21 N/S, R. 60 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 177 feet
 Size of drilled hole 12" Weight of casing per linear foot 9 lb.
 Thickness of casing 12 ga. Temp. of water _____
 Diameter and length of casing 8" x 177 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 87 Feet
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well March 3, 1955 Date of completion of well March 7, 1955
 Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Top Soil
4	7	3	Caliche
7	43	36	Clay
43	52	9	Sandstone
52	79	27	Sandy Clay
79	81	2	Sandstone
81	90	9	Clay
90	112	22	Sand and Gravel
112	122	10	Sandstone
122	142	20	Sand and Gravel
142	169	27	Clay
169	172	3	Sand & Gravel - Water
172	177	5	Yellow Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 169 to 172 ft.

Other aquifers 122 - 142
90 - 112

First water at 90 feet.

Casing perforated
 from 87 to 177 ft.

Size of perforations
1/16" x 6"

