



WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55607
 Rec. 19
 Well No. 
 Permit No. 
Do not fill in

Owner Al Eckardt Driller Patrick H. Thompson
 Address 4342 Del Monte St. Las Vegas, Nev. Address 217 So 26th St L.V. N. Lic. No. 192
 Location of well SW 1/4 NE 1/4 Sec. 6, T. 1N/S, R. 6/E, in Clark County
 or 4342 Del Monte St. Las Vegas, Nevada
 Water will be used for Domestic Total depth of well 188'
 Size of drilled hole 12" to 85' - 10" from 85' to 188' Weight of casing per linear foot 12.2#
 Thickness of casing 10 guage Temp. of water cold
 Diameter and length of casing 8" dia. 189' length
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 28'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Feb. 26, 1957 Date of completion of well Mar. 4, 1957
 Type of well rig cable tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	clay & top soil
8	15	7	caliche
15	30	15	clay
30	33	3	caliche (water)
33	85	53	clay-streaks of caliche
85	90	5	caliche
90	150	60	brown clay
150	156	6	gravel
156	178	22	brown xxxxx clay
178	183	5	gravel
183	188	5	brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 150 to 156 ft.

Other aquifers 85 - 90

178-183

First water at 33 feet.

Casing perforated

from 120 to 180 ft.

Size of perforations

3/16 x 12 4 rows

