

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55618
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Frank G. & Myrtle Snow Driller Effinger Drill & Pump Serv.
 Address 4363 W. Mountain View Address 5488 W. Duncan Dr. Lic. No. 212
 Location of well: S. 1/4 NE 1/4 Sec. 6, T. 21 N/S, R. 6 E, in Clark County
 or Lot 1, Block 4 Artesian Hts. Track #1
 Water will be used for Domestic Total depth of well 300 ft.
 Size of drilled hole 12 inch Weight of casing per linear foot _____
 Thickness of casing 7 Gauge Temp. of water _____
 Diameter and length of casing 8" ID 218 Ft. 90' 6" ID Liner
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 47ft.
 If flowing well describe control works _____
(Type and size of valve, etc.)
 Date of commencement of well September 18, 1959 Date of completion of well October 2, 1959
 Type of well rig "71 Speed Star"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sand
3	5	2	Limestone
5	9	4	Yellow Clay & Gravel
9	12	3	Sandstone
12	27	15	Yellow Clay & Gravel
27	31	4	Cement Gravel
31	33	2	Gravel (Water)
33	47	14	Cement Gravel
47	60	13	Yellow Sticky Clay
60	68	8	Gravel & Sticky Clay
68	70	2	Gravel (Water)
70	81	11	White Clay
81	84	3	Cement Gravel
84	90	6	Red Sandy Clay
90	93	3	Sandstone
93	98	5	Yellow Sandy Clay
98	102	4	Limestone
102	111	9	Yellow Clay
111	115	4	Limestone
115	129	14	Yellow Clay
129	139	10	Red Clay & Gravel
139	145	6	Gravel (Water)
145	150	5	Red Clay
150	170	20	Sandstone
170	178	8	Yellow Sandy Clay
178	180	2	Sandstone
180	184	4	Red Sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from _____ to _____ ft.

Other aquifers _____

First water at _____ feet.

Casing perforated
 from _____ to _____ ft.

Size of perforations _____
