

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **55604**
 Rec. **8/10**
 Well No. **1054**
 Permit No. **1054**
Do not fill in

Owner Matt Matonovich Driller S.R. McKinney & Son
 Address 208 Sunnyplace, Bonanza Village Address 1042 S. Main Lic. No. 45
 Location of well: 1/4 Sec 7, T. 21 N/S, R. 6 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 120'
 Size of drilled hole 12" to 53" to 90, 8" to 120' Weight of casing per linear foot 10 guage
 Thickness of casing 10 guage Temp. of water _____
 Diameter and length of casing 8" ID 120'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 17'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 8-3-1954 Date of completion of well 8-4-1954
 Type of well rig Bucyrus Erie 24 L Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1'	1'	white sand clay
1'	3'	3'	caliche
3'	25'	22'	gray clay
25'	27'	2'	red sand-water
27'	85'	58'	red sandy clay
85'	95'	10'	red sand with thin strands of sandstone-water
95'	115'	20'	sand and gravel WATER
115'	120'	5'	red sand stone

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 85 to 115 ft.

Other aquifers _____

First water at 25 feet.

Casing perforated

from 80 to 120 ft.

Size of perforations

3/16 X 2



