

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55639

Recd. _____ 19____

Well No. _____

Permit No. _____

Do not fill in

Owner Bonnie Joe Inc and Furllo Driller S. B. McKinney & Son
 Address Box 1871, Las Vegas Nev. Address 1042 S. Main Las Vegas, Nev. No. 45

Location of well: NE 1/4 SE 1/4 Sec. 20, T. 20N/S, R. 62E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 ft, 8" to 100 ft Weight of casing per linear foot 22 lb.

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 8" O. D. to 10 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 30 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 31, 1953 Date of completion of well March 31, 53

Type of well rig Bucyrus Erie 24 L, Spudder

| LOG OF FORMATIONS | | | | Water-bearing Formation, Casing Perforations, Etc. |
|-------------------|---------|----------------|-------------------------------|---|
| From feet | To feet | Thickness feet | Type of material | |
| 0 | 4 | 4 | Top soil | |
| 4 | 14 | 10 | Brn sandy clay | |
| 14 | 20 | 6 | Gravel | |
| 20 | 48 | 28 | brn sandy clay | Chief aquifer (water-bearing formation) from <u>74</u> to <u>100</u> ft. |
| 48 | 62 | 14 | white sandy clay water | Other aquifers <u>48 to 62</u> |
| 62 | 74 | 12 | brn sandy clay | |
| 74 | 100 | 26 | white clay with little gravel | water _____ First water at <u>48</u> feet. Casing perforated from _____ to _____ ft. Size of perforations _____ |

