

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55660

Recd. 19

Well No. _____

Permit No. _____

Do not fill in

Owner DICK HARDY Driller H. H. SMITH

Address CASTLE BERRY LANE Address 1819 DECATUR LANE Lic. No. 186

Location of well: NW 1/4 NW 1/4 Sec. 20., T. 20N/S, R. 62E, in CLARK County

or 1426 RINGE LANE NW 1/4 NW 1/4 20-20-62

Water will be used for DOMESTIC Total depth of well 100'

Size of drilled hole 10" Weight of casing per linear foot 8.64# per ft.

Thickness of casing 10 ga. Temp. of water approx. 68°

Diameter and length of casing 6" O.D. 100 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure. _____

If nonflowing well give depth of standing water from surface 40'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well DEC. 10 Date of completion of well DEC. 20

Type of well rig CABLE TOOL

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	10	10	Surface soil
10	50	40	White clay
50	56	6	Water gravel
56	86	30	White clay
86	90	4	Water gravel
90	100	10	White clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 86 to 90 ft.

Other aquifers 50-56

First water at 50 feet.

Casing perforated
 from 50 to 95' ft.

Size of perforations
1/8" x 12" TORCH



