

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 55751
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Donald L. & Shirley L. Krukow Driller Effinger Drill & Pump Serv.

Address 300 Marion Drive Address 5488 West Duncan Dr. Lic. No. 212

Location of well: S 1/4 N 1/4 Sec. 20., T 20 N/S, R 6 E, in Clark County
 or 300 Marion Drive

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 12 inch Weight of casing per linear foot _____

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" ID 150 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 51' from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well May 31, 1961 Date of completion of well June 2, 1961

Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Yellow Clay
7	9	2	Caliche
9	58	49	Yellow Sandy Clay
58	143	75	Decomposed Limestone (Water)
143	150	7	Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 58 to 143 ft.

Other aquifers _____

First water at 58 feet.

Casing perforated
 from 70 to 150 ft.

Size of perforations
1/8" X 15"



