

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 55881
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Bill Ayers Driller S.R. McKinley & Son
 Address Sunset Trailer Park (36) L.V. Nev Address 1042 South Main, L.V. Lic. No. 45
 Location of well: SE 1/4 NE 1/4 Sec. 21, T.20 N/S, R.62 E, in Clark County

Water will be used for Domestic Total depth of well 100'
 Size of drilled hole 12" to 50, 10" to 100' Weight of casing per linear foot 10 Guage
 Thickness of casing 10 Guage Temp. of water _____
 Diameter and length of casing 8" I.D. to 100'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 35'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____

Date of commencement of well May 21, 1955 Date of completion of well May 23, 1955
 Type of well rig 72 Speed Star, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	Brown Clay
7	23	16	Gravel
23	54	31	Brown Clay
54	58	4	Brown Sand Water
58	73	15	Brown Clay
73	77	4	White Sand water
77	87	10	White Sand water Brown clay
87	91	4	Brown sand water
91	100	9	Brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 87 to 91 ft.

Other aquifer 73-77
54' to 58'

First water at 54 feet.

Casing perforated
 from 60 to 100 ft.

Size of perforations
3/16" x 10"



