

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 55889
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Boyd F. Below Driller Effinger Drilling
 Address 2214 Stanley Address Box 579 City _____ Lic. No. 212
 Location of well: NE 1/4 SE 1/4 Sec. 21, T. 20N/S, R. 62E, in Clark County
 or Meikle Lane & Linn Lane

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 12 inch Weight of casing per linear foot .1414

Thickness of casing .156 Temp. of water _____

Diameter and length of casing 8" ID 150 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 52' 9" from top of casing

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well March 12, 1962 Date of completion of well March 13, 1962

Type of well rig "71 Speedstar"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	25	25	Yellow Clay
25	35	10	Clay & Gravel
35	45	10	Gravel
45	58	13	Yellow Clay
58	66	8	Decomposed Limestone (Water)
66	69	3	Yellow Clay
69	75	6	Limestone (Water)
75	91	16	White Clay
91	98	7	Limestone (Water)
98	114	16	Yellow Clay
114	120	6	Limestone (Water)
120	134	14	Yellow Clay
134	137	3	Limestone (Water)
137	150	13	Yellow Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 134 to 137 ft.

Other aquifers 114-120

91-98

69-75

First water at 58 feet.

Casing perforated

from 90 to 145 ft.

Size of perforations

Torch



