

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

55923

Log No. 55923
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner G. Carlo Mageo Driller J.R. McInroy & Son
 Address 1235 No. Louisa, Glendale Calif. Address 1012 So. Vain L.B. Lic. No. 45
 Location of well: SE 1/4 NW 1/4 Sec. 23, T. 21N/S, R. 61E, in Clark County
 or N 1/2 of NW 1/4 of SW 1/4 of NW 1/4, Section 23, Township, Top 21, Range 61E.
 Water will be used for Domestic Total depth of well _____
 Size of drilled hole 12" to 50', 10" to 150' Weight of casing per linear foot 10' 28 lb.
 Thickness of casing 10' 28 lb. to 120', 28 lb. 60' Temp. of water _____
 Diameter and length of casing 8" I.D. to 150'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 40'
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well May 4, 1955 Date of completion of well May 6, 1955
 Type of well rig Bucyrus Erie 26 L. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	15	15	Caliche
15	48	25	Clay
48	60	20	Clay
60	68	8	Sand water
68	75	7	Clay
75	90	15	Clay & Sand water
90	146	56	Clay
146	150	4	Sand & Gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
146 to 150
 from _____ to _____ ft.

Other aquifers 75' to 90'
60' to 68'

First water at 60 feet.

Casing perforated
110 to 150
 from _____ to _____ ft.

Size of perforations
3/16" x 10"

