

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 55999
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Joe Montoya Driller G.A. McKinney & Sons Inc.

Address 3815 Las Vegas Blvd No., Las Vegas Address 1042 So. Main, Las Vegas Lic. No. 45

Location of well: 1/4 - 1/4 Sec. 25, T21 N/S, R. 61 E, in Clark County
 or _____

Water will be used for Domestic use Total depth of well 200 ft.

Size of drilled hole 12" to 50' - 10" to 20' Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" ID from 0 to 200'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 25

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 5/15/63 Date of completion of well 5/24/63

Type of well rig 22" (Lucyrus Erie)

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	4	4	top soil	
4	20	16	coliche (soft)	Chief aquifer (water-bearing formation)
20	50	30	brown clay	from <u>180</u> to <u>200</u> ft.
50	80	30	brown clay & gravel streaks	Other aquifers <u>80' to 110'</u>
80	110	30	gravel streaks (water)	<u>110' to 160'</u>
110	160	50	brown gritty clay (little water)	<u>160' to 200'</u>
160	180	20	brown clay & gravel streaks (water)	
180	200	20	gravel & clay streaks mostly gravel (water)	
				First water at <u>50</u> feet.
				Casing perforated
				from <u>80</u> to <u>100</u> ft.
				<u>120</u> to <u>200</u> ft.
				Size of perforations
				<u>3/16" x 10"</u>



