

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56619
 Rec. 10
 Well No. 1
 Permit No. 1
Do not fill in

Owner Martinus Steneth Driller O. M. Gullard

Address Topaz, Paradise Valley Address P. O. Box 2702-Hunt Lic. No. 115

Location of well: NE 1/4 SW 1/4 Sec. 25, T. 21 N/S, R. 61 E, in Clark County
NW 1/4 Lot #7

Water will be used for Domestic Total depth of well 200

Size of drilled hole 12" Weight of casing per linear foot 202

Thickness of casing 10 Ga. Temp. of water

Diameter and length of casing 8 5/8" 202
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 21

If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well 2/15/62 Date of completion of well 3/2/62

Type of well rig Cable

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Top Soil
3	7	4	Soft Limestone
7	15	8	Caliche
15	42	27	Light brown clay
42	43	1	Soft Limestone-1st Water
43	190	147	Brown Clay
190	195	5	Limestone-2nd Water
195	200	5	Light Brown clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 190 to 195 ft.

Other aquifers

First water at 42 feet.

Casing perforated

from 175 to 195 ft.

Size of perforations

1/4 x 8"



LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
8 5/8	0	202	202	Cemented 0 to 55 ft. Pea graveled packed from 55 to 200 ft.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *C. W. Gullard*
Well Driller

By..... Mg.....

License No. 115

Dated 3/2/62, 19.....

(Not to be filled in by Driller)
