

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56050  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*



Owner Roy F. Dean Driller Roy F. Dean  
 Address 2095 Linn Lane Address \_\_\_\_\_ Lic. No. \_\_\_\_\_  
Las Vegas, Nevada  
 Location of well: 1/4 Sec. 21, T. 22 N/S, R. 2-E in Clark County  
 Lot 7 Tract 1  
 or \_\_\_\_\_

Water will be used for domestic Total depth of well 75 feet

Size of drilled hole 6 inch ~~30 inch~~ Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 24 gauge lead coated steel Temp. of water 72 degrees Fht.

Diameter and length of casing 6 inch 20 feet long  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 35 feet

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Aug. 22, 1952 Date of completion of well Aug. 25, 1952

Type of well rig Consol well rig - - - cable tools

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	15	15	sandy loam	
15	35	20	clay	
35	50	15	sandy clay	
50	62	12	white clay and gravel	
62	75	13	volcanic ash, clay, fine sand	
				Chief aquifer (water-bearing formation) from <u>50</u> to <u>70</u> ft.
				Other aquifers _____
				First water at <u>35</u> feet.
				Casing perforated from _____ to _____ ft.
				Size of perforations _____



