

**WELL LOG AND REPORT TO THE STATE ENGINEER
OF NEVADA**

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

56055

Log No. _____
 Reg. _____ 19____
 Well No. _____
 Permit No. _____
 Do not fill in.

Owner Charles DeVesse Drillers G.R. McKinney & Sons, Inc.

Address 1631 1/2 Betty Lane Address 1042 South Main Lic. No. 45

Location of well: 35 1/8 Sec. 21, T. 20 N/S, R. 62 E, in Clark County

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 12" to 50', 10" to 150' Weight of casing per linear foot 10 Gauge

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" ID from 0' to 150'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 65'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 10/24/64 Date of completion of well 10/27/64

Type of well rig Eucyrus Eric 22"

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	48	48	brown clay
48	55	7	gravel
55	65	10	brown clay & gravel streaks
65	80	15	brown clay & gravel streaks (water)
80	90	10	brown gritty clay
90	150	60	grey gritty clay & gravel streaks (water)

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)
 from 90 to 150' ft.
 Other aquifers 65 to 80'

First water at 65' feet.

Casing perforated
 from 65' to 150' ft.

Size of perforations
3/16" x 10"

