

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56073
 Rec. _____
 Well No. _____
 Permit No. _____

Do not fill in

(*ROBERT ELVENA*)

Owner Miriam A. Flagg Driller Nevada Pump & Supply Company

Address 611 South 6th St., Las Vegas, Nev. Address 412 S. 4th, Las Vegas, Nev. No. 133

Location of well: SE 1/4 SW 1/4 Sec. 26, T. 21N/S, R. 61E, in Clark County

Water will be used for Domestic Total depth of well 120 feet

Size of drilled hole 12" Weight of casing per linear foot 9 lb.

Thickness of casing 12 ga. Temp. of water _____

Diameter and length of casing 8" x 120 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 23 feet

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well February 13, 1955 Date of completion of well February 14, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	17	12	Caliche
17	29	12	Sticky Red Clay
29	34	5	Water - Sand
34	57	23	Sticky Red Clay
57	84	27	Sandstone
84	99	15	Sticky Clay
99	118	19	Sand - Gravel - Water
118	120	2	Hard Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 29 to 34 ft.

Other aquifers 99 - 118

First water at 29 feet.

Casing perforated
 from 99 to 120 ft.

Size of perforations
1/16" x 6"

