

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56096
 Rec.
 Well No.
 Permit No.

1

Do not fill in

Owner Rudy Mallonee Driller S. R. McKinney & Son
 Address Gen. Del. Las Vegas, Nevada Address 1042 S. Main, Las Vegas Lic. No. 45
 Location of well: NE 1/4 NW 1/4 Sec. 26, T. 21N/S, R. 61E, in Clark County
 or.....
 Water will be used for Domestic Total depth of well 160 ft.
 Size of drilled hole 12" to 50 ft., 10" to 160 Weight of casing per linear foot 24 lb.
 Thickness of casing 1/4" Temp. of water.....
 Diameter and length of casing 8" I.D. to 160 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure.....
 If nonflowing well give depth of standing water from surface 15 ft.
 If flowing well describe control works.....
 (Type and size of valve, etc.)
 Date of commencement of well Feb. 15, 1957 Date of completion of well Feb. 19, 1957
 Type of well rig Mucynus Erie 24 L. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	sandy soil
3	24	21	caliche
24	27	3	clay
27	30	3	gravel water
30	45	15	cemented gravel
45	70	25	brown clay
70	72	2	Gravel water
72	90	18	Gravelly clay water
90	95	5	Sticky clay
95	98	3	gravel
98	150	52	stickyclay
150	160	10	clay with sandstone streaks water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 150 to 160 ft.

Other aquifers 70 to 90

First water at 27 feet.

Casing perforated

from 100 to 160 ft.

Size of perforations 3/16" X 100



