

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56097
 Rec. _____ 19____
 Well No. _____
 Permit No. _____

Do not fill in

Owner Lenwood Miller Driller Nevada Pump & Supply Company

Address c/o Showboat Hotel, Las Vegas, Nev. Address 412 So. 4th, Las Vegas, Nev. Lic. No. 133

Location of well: SE 1/4 SW 1/4 Sec. 26, T. 21 N/S, R. 61 E, in Clark County
or _____

Water will be used for Domestic Total depth of well 150 feet

Size of drilled hole 12" Weight of casing per linear foot 9 lb.

Thickness of casing 12 ga. Temp. of water _____

Diameter and length of casing 8" x 150 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 23 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well February 15, 1955 Date of completion of well February 16, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	17	12	Caliche
17	34	17	Sandy Red Clay
34	57	23	Sticky red clay
57	81	24	Sandstone
81	99	18	Sandy Clay
99	117	18	Sand - Gravel - Water
117	141	24	Sticky Red Clay
141	148	7	Gravel - Water
148	150	2	Hard Red Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 99 to 117 ft.

Other aquifers _____

141 - 148

First water at 99 feet.

Casing perforated

from 120 to 150 ft.

Size of perforations

1/16" x 6"



