

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56103
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. & Mrs E. W. Parkinson Driller Douglas Slagle

Address 611 Ave. G-Boulder City, Nevada Address P.O. Box 2081 Lic. No. 137

Location of well: NW 1/4 NE 1/4 Sec. 26, T. 21 N/S, R. 61 E, in Clark County
 or East of Paradise Rd. & So. of Bond Rd.

Water will be used for Domestic Total depth of well 203 Feet

Size of drilled hole 8 Inch Weight of casing per linear foot 9.91

Thickness of casing 12 Gage Temp. of water Cool

Diameter and length of casing 8 3/16 I.D. --- 52 Ft. 4 In. used in Well
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure ---

If nonflowing well give depth of standing water from surface 6 Ft. 1 1/2 Inches.

If flowing well describe control works ---
(Type and size of valve, etc.)

Date of commencement of well Nov., 8, 1953 Date of completion of well Nov., 13, 1953

Type of well rig Keystone # 50 (53)

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1 1/2	1 1/2	Blow Sand
1 1/2	6	4 1/2	Kaliche
6	7	1	Gravel
7	15	8	Kaliche
15	16	1	Red Clay
16	21	5	Kaliche
21	22	1	Red Clay & Gravel
22	24	2	Kaliche Rock
24	27	3	Series of Sand, Gravel, Sheet Rock & Water. (Surface Water)
27	51	24	Red Clay
Cased Well at this Point, Driving Casing to 52 Ft.			
51	55	4	Red Clay
55	58	3	Solid Rock
58	62	4	Cream Colored Clay
62	70	8	Solid Rock
70	78	8	Series of Rocks, Sand an Water, little Brn. Clay (Surface Water)
78	95	17	Lt. Brn. Sandy Clay
95	107	12	Lt. Brn. Clay
107	121	14	Solid Rock & Very Hard
121	128	7	Series of Sand, Rocks, an Water. (Surface Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 121 to 128 ft.

Other aquifers 24 Ft. to 27 Ft.

70 Ft. to 78 Ft.

190 Ft. 201 Ft.

First water at 24 to 27 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations

