

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56112
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Art Schelling Drillers S. McKinney & Son
 Address 2601 Ashby ave, Las Vegas, Nev Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: NE 1/4 NW 1/4 Sec. 26, T. 21 N/S, R. 61 E, in. 31st County _____
 or _____

Water will be used for Domestic Total depth of well 200 ft.

Size of drilled hole 12" to 55 ft, 10" to 160 Weight of casing per linear foot 23 lb/

Thickness of casing 5/16" 8" to 200 Temp. of water _____

Diameter and length of casing 8" I.D. to 160 ft
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface Surface

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well March 23, 1953 Date of completion of well March 27, 1953

Type of well rig Sucyrus Eric 24 ft. Drifter

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	sand
5	10	5	caliche
10	20	10	white clay
20	30	10	red sand
30	40	10	red sand and gravel Water
40	50	10	red sandy clay
50	55	5	caliche
55	75	20	white clay
75	95	20	red sandy clay
95	105	10	red sand and gravel water
105	140	35	red sandy clay
140	160	20	red sand with streaks of sandstone with water
160	167	7	red sand water
167	200	33	red sand with streaks of sandstone water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 140 to 200 ft.

Other aquifers 95 to 105

First water at 30 feet.

Casing perforated

from 55 to 160 ft.

Size of perforations

3/16" X 10"

