


S. R. McKinney

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56115
 Rec. _____
 Well No. _____
 Permit No. _____
Do not fill in



Owner Marian Thompson Driller S. R. McKinney & Son
 Address 118 South 5th St. Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: NW¹/₄ SW¹/₄ Sec. 26, T21 N/S, R61 E, in Clark County
 or _____
 Water will be used for Domestic Total depth of well 175 ft.
 Size of drilled hole 12" to 50 ft. 10" to 175 Weight of casing per linear foot 10 gauge
 Thickness of casing 10 gauge Temp. of water _____
 Diameter and length of casing 8" I.D. to 175 feet.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 5 feet.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well Feb. 27, 1959 Date of completion of well March 4, 1959
 Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	brown clay
3	5	2	caliche
5	15	10	brown clay
15	17	2	caliche
17	30	13	brown clay
30	40	10	brown clay, little water
40	55	15	brown clay and gravel
55	85	30	brown sandy clay
85	105	20	brown clay and gravel, water
105	150	45	brown sandy clay
150	151	1	white hard rock
151	158	7	brown sandy clay, water
158	170	2	brown sticky clay
170	175	5	brown clay with gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 151 to 158 ft.

Other aquifers 170 to 178

85 to 105

First water at 30 feet.

Casing perforated

from 65 to 175 ft.

Size of perforations

3/16" X 10"



