

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56126
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Margaret Young Driller S.R. McKinney & Son

Address 105 Garcon, Las Vegas, Nevada Address 1052 South Main, L.V. Lic. No. 45

Location of well: SW 1/4 Sec. 26, T. 21 N/S, R. 61 E, in Clark County
 or S 1/2 of SW 1/4 of SW 1/4 of Sec 26, Twp. 21, Range 61

Water will be used for Domestic Total depth of well 150'

Size of drilled hole 12" to 50, 10" to 150 Weight of casing per linear foot 10 Gauge

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" I.D. to 150'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20 Ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well May 27, 1955 Date of completion of well May 28, 1955

Type of well rig Bucyrus Erie, 24-L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Caliche
20	30	10	Clay
30	40	10	Sand
40	80	40	Sandy clay
80	90	10	Sand Gravel water
90	140	50	Sandy Clay
140	150	10	Sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 140 to 150 ft.

Other aquifers 80' to 90'

First water at 90 feet.

Casing perforated
110 to 150 ft.

Size of perforations
3/16" x 10"

