

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56132	19
Rec.	19
Well No.	
Permit No.	

Do not fill in

Owner Lewis Colvin Driller S. K. McKinney & Son

Address Paradise rd. Address 1242 S. Main Las Vegas Lic. No. 15

Location of well: SW 1/4 SR 1/4 Sec. 27, T. 21 N/S, R. 61 E, in Clark County
or

Water will be used for domestic Total depth of well 180 ft.

Size of drilled hole 10" to 65, 8" to 180 Weight of casing per linear foot 18 lb.

Thickness of casing 3/16" Temp. of water

Diameter and length of casing 8" O.D. to 70 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface surface

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well March 13, 1953 Date of completion of well March 17, 1953

Type of well rig 72 Speed Star, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	2	2	Gyp rock	
2	7	5	white clay	
7	10	3	GYP R CK	
10	15	5	white clay	
15	22	7	GYP WATER	
22	30	8	red clay	
30	34	4	GYP ROCK	
34	40	6	red clay	
40	47	7	gravel water	
47	50	3	red sandy clay	
50	54	4	cement gravel	
54	75	21	red sandy clay	
75	77	2	cemented gravel	
77	130	53	red sandy clay	
130	132	2	cemented gravel	
132	147	15	red sandy clay	
147	175	28	red clay	
175	180	5	XXXXXXXXXXXXXXXXXX gravel water	

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 175 to 180 ft.

Other aquifers

First water at 40 feet.

Casing perforated

from None to ft.

Size of perforations

