


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA


Log No. 56154
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in



Owner Evelyn McKenzie Driller S. P. McKinney & Son
 Address 1311 South 15th St. Las Vegas, Address 1012 S. Main Las Vegas Lic. No. 15
 Location of well: SE 1/4 SE 1/4 Sec 27, T21 N/S, R61 E, in Clark County _____
 or _____
 Water will be used for Domestic Total depth of well 200 ft.
 Size of drilled hole 12" to 55 ft., 10" to 200 Weight of casing per linear foot 28 lb.
 Thickness of casing 1/4" Temp. of water _____
 Diameter and length of casing 12" I.D. to 200 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 19 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well June 22, 1956 Date of completion of well June 30, 1956
 Type of well rig Bucyrus Erie 24 L, Souder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	sand and gravel
8	20	12	caliche
20	29	9	white clay
29	31	2	red sand water
31	50	19	red sandy clay
50	55	5	red sandy clay
55	90	45	cemented gravel water
90	119	29	red sandy clay
119	122	3	sandstone water
122	130	8	red sand water
130	152	22	red sandy clay
152	180	28	red sand with streaks of sandstone water
180	195	15	red sandy clay
195	200	5	red sand water



Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 195 to 200 ft.

Other aquifers 152 to 180
119 to 130, 55 to 90

First water at 22 feet.

Casing perforated
 from 100 to 200 ft.

Size of perforations
3/16" X 10"



