

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56180
 Rec. _____ 19____
 Well No. _____
 Permit No. _____

T

Do not fill in

Completion of Log after casing was installed to bottom of hole.

Owner: Alex Buesis Driller: S. K. McKinney & Son

Address: 1133 Douglas Drive, Las Vegas Address: 1042 S. Main Las Vegas Lic. No. 45

Location of well: NW 1/4 NW 1/4 Sec. 28, T. 21 N/S, R. 61 E, in Clark County

or Government lot # 7, Section 28, Twp 21 Range 61 East.

Water will be used for _____ Total depth of well _____

Size of drilled hole _____ Weight of casing per linear foot 8" 10 gauge
6" 24 lb.

Thickness of casing 6" 10 gauge, 6", 1/2" wall Temp. of water _____

Diameter and length of casing 8" I.D. to 10 ft. 6" I.D. from 10 ft. to 50 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well June 20, 1954 Date of completion of well Sept 16, 1955

Type of well rig _____

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from _____ to _____ ft.

Other aquifers _____

First water at _____ feet.

Casing perforated

from 60 to 90 ft.

Size of perforations 3/16" x 10"

OFFICE
STATE ENGINEER

SEP 19 55

RECEIVED
A.M.S.

