

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56211
 Rec. _____
 Well No. _____
 Permit No. _____
 Do not fill in

Owner H.C. Nelson Driller S.R. McKinney & Son

Address 820 So. 1st St. Las Vegas, Nevada Address 1042 So. Main, L.V. Lic. No. 45

Location of well: SW 1/4 NE 1/4 Sec. 28, T. 21 N/S, R. 61 E, in Clark County
 or SE 1/4 of NE 1/4 of SW 1/4 of NE 1/4 of Sec. 28, Twp. 21, Range 61

Water will be used for Domestic Total depth of well 135'

Size of drilled hole 12" to 50, 10" to 135' Weight of casing per linear foot 10 guage

Thickness of casing 10 Guage Temp. of water _____

Diameter and length of casing 8" I.D. to 130'
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20'

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well 18 July 1955 Date of completion of well 20 July 1955

Type of well rig Bucyrus Erie 24L, Spudder

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|---------------------|
| 0 | 6 | 6 | Soil & Gravel |
| 6 | 23 | 17 | Caliche, hard |
| 23 | 25 | 2 | Clay |
| 25 | 40 | 15 | Sand & Gravel water |
| 40 | 65 | 25 | Sand & Clay |
| 65 | 82 | 17 | Gravel water |
| 82 | 123 | 41 | Sandy clay |
| 123 | 135 | 12 | Sand water |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 123 to 135 ft.

Other aquifers 65' to 82'
25' to 40'

First water at 25 feet.

Casing perforated
 from 90 to 130 ft.

Size of perforations
3/16" x 10"

