

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 56273
 Rec. 19
 Well No. _____
 Permit No. _____

Do not fill in

Owner James Barris Driller S.P. McKinney and Sons, Inc.

Address Rt. 1, Box 266 A Address 1042 So. Main St. Lic. No. 45

Location of well: NE 1/4 NW 1/4 Sec 30, T21 N/S, R61 E, in Clark County

Water will be used for Domestic Total depth of well 131 feet

Size of drilled hole 10" reamed 12" to 50 Weight of casing per linear foot 16 Ga.

Thickness of casing 10 Gauge Temp. of water _____

Diameter and length of casing 8" x 132 feet
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure 2 GPM

If nonflowing well give depth of standing water from surface _____

If flowing well describe control works 8" Check and Well Seal
(Type and size of valve, etc.)

Date of commencement of well 10/8/60 Date of completion of well 10/12/60

Type of well rig Bucyrus Erie 22 W Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	47	47	sandy clay
47	50	3	sandy clay
50	55	5	gravelly clay
55	105	50	gravel and clay streakswater
105	110	5	gravel
110	130	20	brown clay
130	131	1	cement gravel

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 105 to 110 ft.

Other aquifers 60-105

30-31

First water at 60 feet.

Casing perforated from 90 to 132 ft.

Size of perforations 3/16" x 10"

