

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56301
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in.

Owner C. W. Eachus Driller W. J. Mason
2012 South 10th Street 1727 Santa Paula Dr.
 Address Las Vegas, Nevada Address Las Vegas, Nevada Lic. No. 195

Location of well: $\frac{1}{4}$ $\frac{1}{4}$ Sec. _____, T. N/S, R. E, in Clark County
 or Lot # 8, Tract # 1, Section 32, Twp. 21 South Range 61 E. M. D. M.

Water will be used for Domestic Total depth of well 160

Size of drilled hole 10 inch Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water 74 deg.

Diameter and length of casing 160 feet of 6 inch
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 85 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April 1st, 1955 Date of completion of well April 20th, 1955

Type of well rig Rotary

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	90	90	Clay, sand & gravel	
90	115	25	Sand & gravel	Chief aquifer (water-bearing formation)
115	160	45	Sand, gravel & streaks of Clay	from <u>90</u> to <u>115</u> ft.
				Other aquifers <u>140 to 160</u>
				First water at <u>90</u> feet.
				Casing perforated
				from <u>90</u> to <u>115</u> ft.
				<u>140</u> <u>160</u>
				Size of perforations
				<u>1/16</u>

