

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Deepening Job

| |
|----------------------|
| Log No. <u>56204</u> |
| Rec. <u>19</u> |
| Well No. _____ |
| Permit No. _____ |

Do not fill in

Owner Charles E. Guy Driller S.R.L. McKinney & Sons, Inc.

Address _____ Address 1042 South Main Lic. No. 45

Location of well: NW 1/4 SE 1/4 Sec. 32., T1 N/S, R. 61 E, in Clark County _____

or _____

Water will be used for Domestic Total depth of well 263'

Size of drilled hole 8" Weight of casing per linear foot 3/16"

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 6" ID from 158' to 263'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 105 feet

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 10/15/62 Date of completion of well 10/19/62

Type of well rig Bucyrus Erie 24L

LOG OF FORMATIONS

| From feet | To feet | Thickness feet | Type of material |
|-----------|---------|----------------|-----------------------|
| 170 | 174 | 4 | gravel |
| 174 | 176 | 2 | clay |
| 176 | 188 | 12 | gravel |
| 188 | 190 | 2 | brown sandy clay |
| 190 | 193 | 3 | cement gravel |
| 193 | 215 | 22 | sandy clay |
| 215 | 223 | 8 | cement gravel |
| 223 | 253 | 30 | cement gravel (water) |
| 253 | 263 | 10 | cement gravel (water) |

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 253 to 263 ft.

Other aquifers 223 to 253'

First water at 105 feet.

Casing perforated

from 168 to 263' ft.

Size of perforations

3/16" X 10"

