

L.V.D.

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

DRAFTSMAN JCB

Log No. 56326  
 Rec. Permit 19  
 Well No. \_\_\_\_\_  
 Permit No. 18961  
 Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Russell Stephens Driller S. R. McKinney & Sons, Inc.

Address 6400 Industrial Rd. Las Vegas Address 1042 S Main Las Vegas No. 45

✓ Location of well: SE 1/4 SW 1/4 Sec. 32, T. 21N/S, R. 61E, in Clark County  
or Permit 18961

Water will be used for Domestic Total depth of well 300 ft.

Size of drilled hole 8 inch Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 6 5/8 inch from 145 to 300 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 112 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well 1-3-67 Date of completion of well 1-26-67

Type of well rig Bucyrus Erie 22 W Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
150	170	20	sandy clay
170	175	5	sandy clay water
175	190	15	sandy clay
190	195	5	gravel water
195	210	15	sandy clay
210	269	59	graveley clay
269	300	31	graveley clay water

### Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation)  
from 269 to 300 ft.

Other aquifers 190 to 195  
170 to 175

First water at 170 feet.

Casing perforated  
from 145 to 300 ft.

Size of perforations  
3/16" x 10"

