WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56345
Rec. 19
Well No. .....
Permit No. .....
Do not fill in

Owner A.H.ALSTROM Driller CRIBBS

Address Lasvegas Nev Address Gen Del Lic. No. 70

Location of well: NW ¼ NE¼ Sec. 34, T. 2I N/S, R 6I E, in Clark County

or NW¼ NE¼ SE¼ NW¼ Sec 34 T 2I r 6I E

Water will be used for Domestic Total depth of well I60

Size of drilled hole 8 in. Weight of casing per linear foot 24

Thickness of casing ¼ In. Temp. of water

Diameter and length of casing 8 In II0 ft
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface I8

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well Oct 28 Date of completion of well nov 6 54

Type of well rig SPUDDER

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
00	6	6	sand and silt
6	I2	6	Yellow clay
I2	24	I2	colechie some water 24
24	48	24	pink sandy clay
48	52	4	gravel sand and water
52	90	38	lavender clay
90	I50	60	red sticky clay
I50	I55	5	Gravel and sand Water
I55	I60	5	red clay

(OVER)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from I55 to I60 ft.

Other aquifers

48 50

First water at 24 feet.

Casing perforated

from 90 to 110 ft.

¼ X 4 IN.
Size of perforations

LOG OF FORMATIONS—*Continued*

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
			1 ft	8 5/8 in I.D. well Casing 24 L.B. Cemented from surface to 80 ft 1½ YDS.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLERS STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed [illegible]
Well Driller

By [illegible]

License No. [illegible]

Dated [illegible], 19[illegible]

(Not to be filled in by Driller)

DELIVERY — CUSTOMER COPY

SMITH-SCOTT CO., INC.

NEW -:- USED
PIPE - VALVES - FITTINGS

6565 MISSION BOULEVARD • P. O. BOX 3033 • OVERLAND 3-2400 • RIVERSIDE, CALIFORNIA

No.

Sold To: S. B. Rodgers
3200 Palomino Ln.
Las Vegas, Nevada

Ship To: P. U.

DATE ORDERED	CUST. ORDER NO.	SALESMAN	ORDER TAKEN BY	TERMS: $ DISCOUNT IF PAID BY NET
		K-K	Kinney	

DATE WANTED	DATE PROMISED	VIA	F.O.B.	RESALE	TAXABLE	OTHER	DATE SHIPPED	INVOICE DATE
11-10-55		Cust Truck			✓			

PCS. SHIPPED	DESCRIPTION	QUAN. ORDERED	QUAN. SHIPPED	PRICE	AMOUNT
2	6 5/8" O.D. 10 ga N S P Bare x 40	~~80~~ 80	80		

S B Rodgers

ST CHARGED ON ALL OVERDUE ACCOUNTS. IN CONSIDERATION OF EXTENSION OF CREDIT, AS ABOVE PROVIDED, PURCHASER AGREES TO PAY REASONABLE ATTORNEY'S FEE IN ANY ACTION TO COLLECT ABOVE AMOUNT OR ANY PART THEREOF.

48
8.00
10
25
91
60
20
71