

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56391  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*



Owner Jack Hussey Driller Effinger Bros.

Address \_\_\_\_\_ Address 212 Anderson Lane Lic. No. 105

Location of well: 1/4 2 1/4 Sec. 21, T20 N/S, R. 6 E, in Clark County  
 or S 1/2 Lot 6 Block 1 Tract #3 Meikle Tract Castleberry Lane

Water will be used for Domestic Total depth of well 100 feet

Size of drilled hole 10 Inch Weight of casing per linear foot 12.06 lbs

Thickness of casing 10 Guage Temp. of water \_\_\_\_\_

Diameter and length of casing 8"OD 70 feet  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 43'10" from top of casing

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well January 21, 1954 Date of completion of well January 23, 1954

Type of well rig "71 Speed Star"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	34	34	Clay
34	41	7	Gravel
41	44	3	Clay
44	68	24	Gravel (Water)
68	70	2	Clay
70	83	13	Lime (Water)
83	100	17	Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 44 to 68 ft.

Other aquifers 70-83

First water at 44 feet.

Casing perforated

from 40 to 70 ft.

Size of perforations

1/8" X 12"



