

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

56402

Log No. \_\_\_\_\_  
 Rec. No. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner James D. Kell Driller Louis F. Evans

Address 1762 Nellis Blvd. Las Vegas, Nevada Address 2020 Carroll N. Las Vegas Etc. No. 117

Location of well: 1/4 SW 1/4 Sec. 21., T. 20 N/S, R. 62 E, in Clark County  
 or \_\_\_\_\_

Water will be used for domestic Total depth of well 99 ft.

Size of drilled hole 50 ft. 12" 49 ft. 10" Weight of casing per linear foot \_\_\_\_\_

Thickness of casing 10 gauge Temp. of water \_\_\_\_\_

Diameter and length of casing 8 inch. o.d. casing 100 ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 39 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well July 20, 1956 Date of completion of well July 23, 1956

Type of well rig Keystone

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	31	31	yellow clay
31	37	6	gravel
37	48	11	white clay
48	51	3	lime rock (water)
51	67	16	white clay
67	73	6	brown sand (water)
73	95	22	white clay
95	97	2	brown sand (water)
97	99	2	white clay

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 67 to 73 ft.

Other aquifers 95 to 97

---

First water at 48 feet.

Casing perforated

from 50 to 99 ft.

Size of perforations

1/4" wide 6" long

