

State

Log No. 56457

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Rec. No. 19 Well No. Permit No. Do not fill in.

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Owner Francis McDonough Driller S. R. McManey & Sons, Inc.

Address 3910 Meikle Lane Address 1042 South Main St Lic. No. 45

Location of well: NE 1/4 SW 1/4 Sec 21, T. 20N/S, R. 62E, in Clark County

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" to 50' 10" to 200' Weight of casing per linear foot 188 lb-gauge

Thickness of casing .188 Temp. of water

Diameter and length of casing 8" ID from 0 to 200' (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 62'

If flowing well describe control works (Type and size of valve, etc.)

Date of commencement of well 6/15/66 Date of completion of well 6/17/66

Type of well rig Bucyrus Erie 22W

LOG OF FORMATIONS

Table with 4 columns: From feet, To feet, Thickness feet, Type of material. Rows include Top Soil, Gravel & Clay, Caliche, White Clay, Gravly Clay (water), Brown Clay, etc.

Water-bearing Formation, Casing Perforations, etc.

Chief aquifer (water-bearing formation) from 185' to 200' ft. Other aquifers 60' to 80', 85' to 100', 120' to 130', 145' to 185'

First water at 60 feet.

Casing perforated from 60' to 200' ft.

Size of perforations 3/16" x 10"

