

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 56549  
 Rec. No. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
 Do not fill in

Owner J. W. NALL Driller Joseph G. Kelly  
 Address \_\_\_\_\_ Address 200 Las Vegas Lic. No. 35  
 Location of well: S.W. 1/4 SW 1/4 Sec 21, T. 20 N/S, R. 62 E, in Clark County

Water will be used for Domestic Total depth of well 48'  
 Size of drilled hole 8" to 44" Bal 6" Weight of casing per linear foot 12#  
 Thickness of casing 5/32 Temp. of water 68  
 Diameter and length of casing 6" OD x 49'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 39'  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Oct 18 - 1951 Date of completion of well Nov. 15 - 1951

Type of well rig spreeder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
1	6	6	silt
6	15	9	clay
15	18	3	gravel
18	28	10	clay
28	37	9	galeches
37	41	4	hard lime
41	44	3	soft "
44	48	4	gravel + sand

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 41 to 48 ft.

Other aquifers \_\_\_\_\_

First water at 41 feet.

Casing perforated  
 from 25 to 48 ft.

Size of perforations  
1/8" x 6"  
 every 2 feet

