

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. **56555**
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. W. Murray Driller S. R. McKinney & Son

Address Paradise at Flamingo Rd. Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45

Location of well SW 1/4 SW 1/4 Sec. 35, T. 21N/S, R. 61E, in Clark County

or _____

Water will be used for Domestic Total depth of well 120 ft.

Size of drilled hole 12" to 50 ft., 10" to 120 Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water _____

Diameter and length of casing 8" I.D. to 120 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 16 ft.

If flowing well describe control works _____
 (Type and size of valve, etc.)

Date of commencement of well Feb. 8, 1955 Date of completion of well Feb. 12, 1955

Type of well rig Bucyrus Erie 22 W. Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	2	2	sand and gravel
2	10	8	white clay
10	25	15	caliche water at 25 ft.
25	50	25	cement gravel
50	95	45	red clay
95	100	5	decomplosed lime and gravel little water
100	110	10	red clay
110	115	5	gravel water
115	120	5	red clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 110 to 115 ft.

Other aquifers 95 to 100

First water at 25 feet.

Casing perforated from 80 to 120 ft.

Size of perforations 3/16" X 10"



