

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56558  
 Rec. Sept 19 1956  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner George J. & Margaret M. Paulk Driller Effinger Bros.  
 Address Rt. 1, Box 113 Address Box 589 Lic. No. 212  
 Location of well:  $\frac{1}{4}$  Sec. 35, T. 21 N/S, R. 61 E, in Clark County  
 or Lot 108 Sunset Road  
 Water will be used for Domestic Total depth of well 200 feet  
 Size of drilled hole 12 Inch Weight of casing per linear foot 12.06 lbs.  
 Thickness of casing 10 Gauge Temp. of water \_\_\_\_\_  
 Diameter and length of casing 8 200 feet  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 15' From top of casing  
 If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)  
 Date of commencement of well September 10, 1956 Date of completion of well September 14, 1956  
 Type of well rig "71 Speed Star"

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	1	1	Sand & Gyp
1	3	2	Caliche
3	7	4	Gyp
7	10	3	Caliche
10	14	4	Yellow Clay
14	17	3	Caliche
17	22	5	Gravel
22	31	9	Yellow Clay
31	37	6	Gravel (Water)
37	41	4	Cement Gravel
41	55	14	Red Clay
55	65	10	Caliche
65	68	3	Yellow Clay
68	76	8	Limestone (Water)
76	77	1	Yellow Clay
77	91	14	Limestone (Water)
91	117	14	Red Clay
117	122	5	Sandstone
122	128	6	Red Clay
128	141	13	Yellow Clay
141	143	2	Gravel (Water)
143	163	20	Sandstone
163	175	12	Yellow Clay
175	178	3	Red Sticky Clay
178	181	3	Gravel (Water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 187 to 191 ft.

Other aquifers 178-181  
141-143  
77-91  
68076

First water at 31 feet.

Casing perforated  
 from 70 to 200 ft.

Size of perforations  
1/8" X 12"

