

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 56568
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Mr. John Schmidt Driller O.M. Gullard
 Address 1401 Maryland Parkway Address 6044 Euclid Ave., LV Lic. No. 115
 Location of well: SW $\frac{1}{4}$ NE $\frac{1}{4}$ Sec. 35, T. 21N/S, R. 6E, in Clark County
 or Oquenda and Burnham-Paradise Valley
 Water will be used for Domestic Total depth of well 210 ft.
 Size of drilled hole 8" Weight of casing per linear foot _____
 Thickness of casing 10 Ga. Temp. of water _____
 Diameter and length of casing 6" 60 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)
 If flowing well give flow in c.f.s. or g.p.m. and pressure _____
 If nonflowing well give depth of standing water from surface 14 ft.
 If flowing well describe control works _____
 (Type and size of valve, etc.) _____
 Date of commencement of well 2/15/63 Date of completion of well 2/20/63
 Type of well rig Cable Tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	160	160	Well was previously drilled by Howard & Sons in 1955 for a J. Conrad
160	169	9	Black sand
169	174	5	Black foul colored clay
174	190	16	Black sand--Water
190	192	2	Sandstone
192	210	18	Brown clay

Water-bearing Formation, Casing Perforations, Etc.
180x
 Chief aquifer (water-bearing formation)
 from 190 to 192 ft.
 Other aquifers _____

 First water at _____ feet.
 Casing perforated
 from 180 to 200 ft.
 Size of perforations
 $\frac{1}{2}$ x 6

LOG OF FORMATIONS—Continued

From feet	To feet	Thickness	Type of material

CASING RECORD

Diam. casing	From feet	To feet	Length	"Remarks"—Seals, Grouting, Etc.
6			60 ft.	

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true to my best information and belief.

Signed *O. M. Gellard*
Well Driller

By _____

License No. 115

Dated 3-18-63, 19____

(Not to be filled in by Driller)
