

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56583	19
Rec. _____	Well No. _____
Permit No. _____	
<i>Do not fill in.</i>	

Owner Charlotte Stewart Driller S. R. McKinney & Son

Address 1416 Bridger, Las Vegas, Nev. Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: NW 1/4 NE 1/4 Sec. 35, T21 N/S, R. 61E, in Clark County _____

or N 1/2 of SW 1/4 of NW 1/4 of NE 1/4 of Section 35 Twp. 21, Range 61 S.

Water will be used for Domestic Total depth of well 130 ft.

Size of drilled hole 12" to 50 ft, 10" to 130 Weight of casing per linear foot 28 lb.

Thickness of casing 1/4" Temp. of water _____

Diameter and length of casing 8" I.D. to 130 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 20 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well Feb. 9, 1955 Date of completion of well Feb. 11, 1955

Type of well rig 71 Speed Star, Souder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	topsoil
5	10	5	gravelly clay
10	15	5	white clay
15	20	5	gravelly clay
20	25	5	clay
25	75	50	sandy clay water at 35
75	85	10	gravelly clay water
85	125	40	clay
125	130	5	clay and gravel water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 125 to 130 ft.

Other aquifers 75 to 85

First water at 35 feet.

Casing perforated

from 80 to 130 ft.

Size of perforations

3/16" X 10"



