

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56655
 Rec. _____ 19____
 Well No. _____
 Permit No. _____
Do not fill in



Owner R. R. Shaner Driller S. R. McKinney & Son

Address Corner Shaner and Meikle Lanes Address 1042 S. Main Las Vegas Lic. No. 45

Location of well: NE 1/4 SW 1/4 Sec. 21, T. 20N/S, R. 62E, in Clark County

or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 12" to 50 ft. 8" to 100 Weight of casing per linear foot 10 gauge

Thickness of casing 10 gauge Temp. of water _____

Diameter and length of casing 8" O.D. to 100 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 42 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 7-23-57 Date of completion of well 7-25-57

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	top soil
8	23	15	brown sandy clay
23	33	10	brown sandy clay
33	43	10	shite clay and gravel
43	53	10	brown sandy clay, water
53	68	15	white clay
68	75	7	white clay and gravel water
75	100	25	brown sandy clay water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 75 to 100 ft.

Other aquifers 68 to 75
43 to 53

First water at 43 feet.

Casing perforated

from 60 to 100 ft.

Size of perforations

3/16" X 10"



