

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56682  
 Rec. No. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Ray Sion Driller S. K. McInnes & Son

Address Box 1871, Las Vegas, Nevada Address 1042 S. Main, Las Vegas Lic. No. 45

Location of well: 1/4 1/4 Sec. \_\_\_\_\_, T. N/S, R. E, in Clark County

or Lot 10, Block 3, NE 1/4 Sec 21, 20 62 E.

Water will be used for Domestic Total depth of well 85 ft.

Size of drilled hole 8" to 85 ft. Weight of casing per linear foot 10 Guage

Thickness of casing 10 Guage Temp. of water \_\_\_\_\_

Diameter and length of casing 10" I.D. to 20 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 41 ft.

If flowing well describe control works \_\_\_\_\_  
(Type and size of valve, etc.)

Date of commencement of well May 24, 1952 Date of completion of well May 24, 1952

Type of well rig Bucyrus Erie 24L, Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Top Soil
5	25	20	hard brown clay
25	55	30	White clay, water at 55 ft.
55	65	10	Red clay
65	75	10	Green clay
75	85	10	Red sand and sandstone, Water

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 75 to 85 ft.  
 55 ft.

Other aquifers \_\_\_\_\_

---

First water at 55 feet.

Casing perforated

from None to \_\_\_\_\_ ft.

Size of perforations

---

