


WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56736
 Rec. 19...
 Well No.
 Permit No.
Do not fill in



Owner William Thiele Driller S. R. McKinney & Son

Address East college Address 1042 E. Main Las Vegas No. 45

Location of well: NE 1/4 SW 1/4 Sec. 21, T. 20N/S, R. 62E, in Clark County

or

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 ft, 8" to 100 ft Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water

Diameter and length of casing 8" O.D. to 40 ft.
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 40 ft.

If flowing well describe control works

(Type and size of valve, etc.)

Date of commencement of well Feb. 10, 1954 Date of completion of well Feb. 10, 1954

Type of well rig Bucyrus Erie 24 L Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	8	8	topsoil
8	42	34	brown clay
42	45	3	brown sand water
45	65	20	brown clay
65	75	10	brown sand water
75	90	15	white clay
90	100	10	white sand water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 90 to 100 ft.
 Other aquifers 65 to 75
42 to 45

First water at 42 feet.

Casing perforated
 from none to ft.

Size of perforations



