

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56790
 Rec. 19
 Well No.
 Permit No.
Do not fill in



Owner Mrs. Nancy Archer Driller S. R. McKinney & Son
 Address 811 S. 1st. Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: SE 1/4 SE 1/4 Sec. 13, T. 20 N/S, R. 60 E, in Clark County

Water will be used for Domestic Total depth of well 160 ft.

Size of drilled hole 12" to 55 ft, 8" to 160 ft Weight of casing per linear foot 10 guage

Thickness of casing 10 guage Temp. of water

Diameter and length of casing 8" I.D. to 111 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 35 ft.

If flowing well describe control works
(Type and size of valve, etc.)

Date of commencement of well April 16, 1954 Date of completion of well April 19, 1954

Type of well rig Bucyrus Erie 24 L, Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	18	18	cemented gravel
18	30	12	xxxxxxx clai sh e
30	42	12	clay
42	45	3	cemented gravel
45	70	25	clay and gravel
70	75	5	cavy gravel water
75	105	30	gravel and clay
105	140	35	clay and gyp rock
140	147	7	red clay and gravel
147	159	12	cemented gravel water
159	160	1	red clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 147 to 159 ft.

Other aquifers

First water at 70 feet.

Casing perforated
 from none to _____ ft.

Size of perforations

