

**WELL LOG AND REPORT TO THE STATE
ENGINEER OF NEVADA**

PLEASE COMPLETE THIS FORM IN ITS ENTIRETY

Log No. 56847
 Rec. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner J. H. Self Driller Patrick H. Thompson

Address 3605 Fortune Las Vegas Address Las Vegas, Nevada Lic. No. 192

Location of well: SW 1/4 NW 1/4 Sec. 6, T22N/S, R62E, in Clark County

Water will be used for Domestic Total depth of well 200'

Size of drilled hole 12" - 0-50', 10" - 50-200' Weight of casing per linear foot 12#

Thickness of casing 10 ga. Temp. of water cool

Diameter and length of casing Diameter - 8" Length - 200'
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 21'

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well 2-22-65 Date of completion of well 2-26-65

Type of well rig cable tool

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	20	20	Sandy clay
20	40	20	Red sand (water)
40	45	5	Brown clay
45	60	15	White clay (water)
60	70	10	Clay and gravel
70	125	55	Red clay
125	129	4	Red clay and gravel
129	142	13	Red clay
142	145	3	Lime shell (water)
145	155	10	Red clay
155	158	3	Lime shell
158	160	2	Red clay
160	200	40	Cemented gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)
 from 160 to 200 ft.

Other aquifers as noted in log.

First water at 21 feet.

Casing perforated
 from 60 to 200 ft.

Size of perforations
3/16 x 12 - 4 rows

