

*This well
is approved
no longer in use
per Health
Dept*

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56861
 Rec. 19
 Well No. 1
 Permit No. out
Do not fill in

Owner Roger Scott Driller Nevada Pump & Supply Company

Address Rt. 1, Box 155, Las Vegas, Nev. Address 412 S. 4th St., Las Vegas Lic. No. 133

Location of well: SE 1/4 SW 1/4 Sec. 6, T22 N/S, R62 E, in Clark County

Water will be used for Domestic Total depth of well 80 feet

Size of drilled hole 12" Weight of casing per linear foot 9 lb.

Thickness of casing 12 ga. Temp. of water

Diameter and length of casing 8" x 80 feet
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure

If nonflowing well give depth of standing water from surface 16 feet

If flowing well describe control works
 (Type and size of valve, etc.)

Date of commencement of well Feb. 6, 195 Date of completion of well Feb. 9, 1955

Type of well rig Cable Tools

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	3	3	Sand Top Soil
3	18	15	Sand
18	26	8	Quick Sand
26	35	9	Sticky red clay
35	50	15	Hard Yellow Clay
50	61	11	Rock
61	67	6	Sand Gravel Water
67	73	6	Red Clay
73	78	5	Gravel - Water
78	80	2	Hard Yellow Clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 61 to 67 ft.

Other aquifers 73 - 78

First water at 67 feet.

Casing perforated

from 65 to 80 ft.

Size of perforations

1/16" x 62

