


# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA



Log No. 56959  
 Rec. .... 19...  
 Well No. ....  
 Permit No. ....  
*Do not fill in*

Owner Mr. Bruce & Bonnie Joe Inc. Driller S. H. McKinney & Son  
 Address Box 1871 Las Vegas Address 1042 S. Main Las Vegas Lic. No. 45  
 Location of well: W $\frac{1}{2}$  NW  $\frac{1}{4}$  Sec. 28., T. 20 N/S, R. 62 E, in Clark County

Water will be used for Domestic Total depth of well 100 ft  
 Size of drilled hole 10" to 30 ft, 8" to 100 ft Weight of casing per linear foot 18 lb.  
 Thickness of casing 5/16" Temp. of water.....  
 Diameter and length of casing 40 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure.....  
 If nonflowing well give depth of standing water from surface 30 ft.  
 If flowing well describe control works.....  
(Type and size of valve, etc.)

Date of commencement of well April 7, 1953 Date of completion of well April 7, 1953  
 Type of well rig Bucyrus Erie 24 L. Soudder

LOG OF FORMATIONS				Water-bearing Formation, Casing Perforations, Etc.
From feet	To feet	Thickness feet	Type of material	
0	40	40	Brown clay	
40	45	5	sand water	Chief aquifer (water-bearing formation)
45	65	20	white clay	from <u>85</u> to <u>90</u> ft.
65	75	10	white sand water	Other aquifers <u>65 to 75</u>
75	85	10	white clay	<u>40 to 45</u>
85	90	5	white sand water	
90	100	10	white clay	
				First water at <u>40</u> feet.
				Casing perforated
				from ..... to ..... ft.
				Size of perforations

