

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56964  
 Rec. \_\_\_\_\_ 19\_\_\_\_  
 Well No. \_\_\_\_\_  
 Permit No. \_\_\_\_\_  
*Do not fill in*

Owner Jack Carter Driller Louis F. Evans

Address Gen. Deliverey North Las Vegas Nev. Address 2020 Carroll N. Las Vegas Nev. Lic. No. 117

Location of well: N.W. 1/4 N.W. 1/4 Sec. 28, T. 20 N/S, R. 62 E, in Clark County

or \_\_\_\_\_

Water will be used for Domestic Total depth of well 70 ft.

Size of drilled hole 38 ft. 10 inch 32 ft. 8 inch hole Weight of casing per linear foot 12.15 lbs.  
10 gauge

Thickness of casing 8 inch I.D. pipe 40 ft. Temp. of water \_\_\_\_\_

Diameter and length of casing 8 inch I.D. pipe 40 ft.  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_

If nonflowing well give depth of standing water from surface 27 ft.

If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.)

Date of commencement of well Sept. 15, 1953 Date of completion of well Sept. 17, 1953

Type of well rig Armstrong

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	silt
4	6	2	yellow clay & gravel
6	30	24	brown clay
30	70	40	yellow clay & gravel (water)

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)  
 from 30 to 70 ft.

Other aquifers \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

First water at 30 feet.

Casing perforated  
 from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_

