

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 56970  
 Rec. .... 19...  
 Well No. ....  
 Permit No. ....  
*Do not fill in*



Owner William E. Clontz & Bonnie Joe Inc Driller S. R. McKinstry & Son  
 Address Box 1871, Las Vegas Nev. Address 1042 S. Main Las Vegas No. 45  
 Location of well: NW 1/4 NW 1/4 Sec. 28, T. 20N/S, R. 62E, in Clark County

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 ft., 8" to 100 Weight of casing per linear foot 22 lb.

Thickness of casing 3/16" Temp. of water .....

Diameter and length of casing 8" O.D. to 60 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure .....

If nonflowing well give depth of standing water from surface 38 ft.

If flowing well describe control works.....  
(Type and size of valve, etc.)

Date of commencement of well March 26, 1953 Date of completion of well March 27, 1953

Type of well rig Bucyrus Erie 24 L Snudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material	Water-bearing Formation, Casing Perforations, Etc.
0	6	6	Top soil	
6	28	22	hard brn. sandy clay	
28	33	5	Gravel	
33	40	7	soft graveley sand	Chief aquifer (water-bearing formation) from <u>82</u> to <u>100</u> ft.
40	43	3	Gravel	Other aquifers <u>48 to 82</u>
43	48	5	sand and gravel	
48	53	5	gravel water	
53	82	29	white sandy clay water	
82	100	18	brn sandy clay Water	
				First water at <u>48</u> feet.
				Casing perforated from ..... to ..... ft.
				Size of perforations .....



