

# WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57002  
 Rec. .... 19...  
 Well No. ....  
 Permit No. ....  
*Do not fill in*



Owner Freeland, Mickle Driller S. R. McKinley & Son  
 Address East college Address 1042 S. Main Las Vegas, Nev. No. 45  
 Location of well: SE 1/4 NW 1/4 Sec. 28, T. 30N/S, R. 62E, in Clark County  
or Lot 2, block 4, Mickle Manor # 2  
 Water will be used for Domestic Total depth of well 75  
 Size of drilled hole 12" to 35 ft. 8" to 75 Weight of casing per linear foot 20 lb.  
 Thickness of casing 3/16" Temp. of water .....  
 Diameter and length of casing 8" O.D. to 60 ft.  
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure .....  
 If nonflowing well give depth of standing water from surface 30 ft.  
 If flowing well describe control works .....  
(Type and size of valve, etc.)  
 Date of commencement of well Feb. 4, 1953 Date of completion of well Feb. 4, 1953  
 Type of well rig Encyrus Erie 24 L Spudder

### LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	4	4	Brown sandy clay
4	8	4	cemented gravel
8	30	22	brown clay
30	55	25	Gravel Water
55	70	15	white clay
70	75	5	white sand water

Water-bearing Formation, Casing Perforations, Etc.

---

Chief aquifer (water-bearing formation)

from 30 to 55 ft.

Other aquifers 70 to 75

---

First water at 30 ft. feet.

Casing perforated

from 35 to 60 ft.

Size of perforations

3/16" X 10"



