

WELL LOG AND REPORT TO THE STATE ENGINEER OF NEVADA

Log No. 57161
 Rec. No. 19
 Well No. _____
 Permit No. _____
Do not fill in

Owner Benneth Lewis & Golden West Corp. Driller S. R. McKinney & Son
 Address Box 1871 Las Vegas Nevada Address 1042 S. Main Las Vegas Lic. No. 45
 Location of well: SE 1/4 NW 1/4 Sec. 28, T. 20N/S, R. 6E, in Clark County
 or _____

Water will be used for Domestic Total depth of well 100 ft.

Size of drilled hole 10" to 30 8" to 100 Weight of casing per linear foot 18 lb.

Thickness of casing 3/16" Temp. of water _____

Diameter and length of casing 8" O.D. to 50 ft.
(Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)

If flowing well give flow in c.f.s. or g.p.m. and pressure _____

If nonflowing well give depth of standing water from surface 29 ft.

If flowing well describe control works _____
(Type and size of valve, etc.)

Date of commencement of well April 14, 1953 Date of completion of well April 15, 1953

Type of well rig Bucyrus Erie 24 L, Sudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	5	5	Surface Soil
5	37	32	Sandy brown clay
37	43	6	Gravel Water
43	47	4	Sandy gravel
47	83	36	White sandy clay Water
83	91	8	Grey sandy clay
91	100	9	White sandy clay Water

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 91 to 100 ft.

Other aquifers 47 to 83

First water at 37 feet.

Casing perforated

from _____ to _____ ft.

Size of perforations



