

WELL LOG AND REPORT TO THE STATE  
ENGINEER OF NEVADA

Log No. 57182  
 Rec. 19  
 Well No.  
 Permit No.  
 Do not fill in

Owner PIERRE NORMAND Driller Joseph E. May  
 Address \_\_\_\_\_ Address W. L. Rogers Lic. No. 35  
 Location of well: 1/4 NW 28, 20N/S, R12 E, in Clark County  
 or LOT # 10 BLK # 3 TRACT # 2 MEIKLE TRACT  
 Water will be used for Domestic Total depth of well 75'  
 Size of drilled hole 10" Weight of casing per linear foot 9.5  
 Thickness of casing 1/2" Temp. of water 68  
 Diameter and length of casing 6" O.D. x 40'  
 (Casing 12" in diameter and under give inside diameter; casing 12" in diameter give outside diameter.)  
 If flowing well give flow in c.f.s. or g.p.m. and pressure \_\_\_\_\_  
 If nonflowing well give depth of standing water from surface 27'  
 If flowing well describe control works \_\_\_\_\_  
 (Type and size of valve, etc.) \_\_\_\_\_  
 Date of commencement of well May 23 - 1953 Date of completion of well May 28 - 1953  
 Type of well rig Spudder

LOG OF FORMATIONS

From feet	To feet	Thickness feet	Type of material
0	7	7	silt
7	10	3	hardpan
10	28	18	clay
28	30	2	broken lime (w) 28 - 27
30	34	4	clay
34	40	6	gravel in clay
40	45	5	broken lime (w) 159 - 27
45	48	3	clay
48	59	11	gravel (w) 25.8 - 27
59	72	3	gravel in clay
72	75	3	clay

Water-bearing Formation, Casing Perforations, Etc.

Chief aquifer (water-bearing formation)

from 40 to 45 ft.

Other aquifers 48 - 59

First water at 28 feet.

Casing perforated from \_\_\_\_\_ to \_\_\_\_\_ ft.

Size of perforations \_\_\_\_\_



